

Parent, Guardians and Athletes:
 Please read, sign, and return this form prior to the start of any practice or tryout.

Concussion Information Sheet

What is a concussion?

According to the U.S. Department of Health and Human Services Centers for Disease Control and Prevention (CDC):

“A concussion is a type of traumatic brain injury, or TBI, caused by a bump, blow, or jolt to the head that can change the way your brain normally works. Concussions can also occur from a blow to the body that causes the head to move rapidly back and forth. Even a “ding,” “getting your bell rung,” or what seems to be mild bump or blow to the head can be serious. Concussions can occur in any sport or recreation activity. So, all coaches, parents, and athletes need to learn concussion signs and symptoms and what to do if a concussion occurs.” Even though most concussions are mild, **all concussions are potentially serious and may result in complications including prolonged brain damage and death if not recognized and managed properly.** In other words, even a “ding” or a bump on the head can be serious. You can’t see a concussion and most sports concussions occur without loss of consciousness. Signs and symptoms of concussion may show up right after the injury or can take hours or days to fully appear. If your athlete reports any symptoms of concussion, or if you notice the symptoms or signs of concussion yourself, seek medical attention right away.

Symptoms Reported by Athlete	Signs Observed by Coaching Staff
<ul style="list-style-type: none"> • Headache or “pressure” in head 	<ul style="list-style-type: none"> • Appears dazed or stunned
<ul style="list-style-type: none"> • Nausea or vomiting 	<ul style="list-style-type: none"> • Is confused about assignment or position
<ul style="list-style-type: none"> • Balance problems or dizziness 	<ul style="list-style-type: none"> • Forgets an instruction
<ul style="list-style-type: none"> • Double or blurry vision 	<ul style="list-style-type: none"> • Is unsure of game, score, or opponent
<ul style="list-style-type: none"> • Sensitivity to light 	<ul style="list-style-type: none"> • Moves clumsily
<ul style="list-style-type: none"> • Sensitivity to noise 	<ul style="list-style-type: none"> • Answers questions slowly
<ul style="list-style-type: none"> • Feeling sluggish, hazy, foggy, or groggy 	<ul style="list-style-type: none"> • Loses consciousness (<i>even briefly</i>)
<ul style="list-style-type: none"> • Concentration or memory problems 	<ul style="list-style-type: none"> • Shows mood, behavior, or personality changes
<ul style="list-style-type: none"> • Confusion 	<ul style="list-style-type: none"> • Can’t recall events <i>prior</i> to hit or fall
<ul style="list-style-type: none"> • Does not “feel right” or is “feeling down” 	<ul style="list-style-type: none"> • Can’t recall events <i>after</i> hit or fall

What can happen if my child keeps playing with a concussion or returns too soon?

Athletes with the signs and symptoms of a concussion should be removed from play immediately. Continuing to play with the signs and symptoms leaves the athlete vulnerable to greater injury. There is an increased risk of significant damage from a concussion for a period of time after the concussion occurs, particularly if an athlete suffers another concussion before completely recovering from the first one. This can lead to prolonged recovery, or even severe brain swelling (second impact syndrome) with devastating and even fatal consequences. It is well known that young athletes often under report symptoms of injuries and concussions are no different. As a result, the education of coaches, parents, and athletes is the key for safety.

Concussion Information Sheet

What happens if you think your child has suffered a concussion?

Any athlete even suspected of suffering a concussion should be removed from play immediately. No athlete may return to activity after an apparent head injury or concussion, regardless how mild it seems or how quickly symptoms clear, without medical clearance. Close observation of the athlete should continue for several hours. Our organization requires the consistent and uniform implementation of well established return to play guidelines:

- A young athlete who is suspected of sustaining a concussion or head injury in a practice or game shall be removed from competition at that time.
- The athlete not return to play until they are evaluated by an authorized health care provider trained in the evaluation and management of concussions and received written clearance to return to play from that health care provider.
- Parents and coaches should inform each other of if they think the athlete may have a concussion. Remember it is better to miss one game than to miss the whole season. When in doubt, sit them out.

What are the criteria for gradual return to play?

No symptoms at rest/no medication used to manage symptoms.

No return of symptoms with typical physical and cognitive activities of daily living.

Neurocognitive functioning at typical baseline.

Normal balance and coordination.

No other medical/neurological complaints/findings.

For current and up-to-date information on concussions you can go to:

<http://www.cdc.gov/Concussion>

ACKNOWLEDGEMENT FORM

Please detach this Acknowledgement Form and return it to _____.
Please retain the documents that have been provided for your future reference.

I hereby acknowledge that I received the Concussion Information Sheet and the Fact Sheet for Athletes and Parents. I certify that I understand the information that has been provided concerning the signs, symptoms, prevention and treatment of concussions and the seriousness of concussions.

Athlete Name

Athlete Signature

Date

Parent/Guardian Name

Parent/Guardian Signature

Date

Adapted from the CDC. Document created 6/7/2011